

- 1 You are going to investigate the effect of the concentration of sugar solutions on osmosis in potato cells.

Read all the instructions but DO NOT CARRY THEM OUT until you have drawn a table for your results in the space provided in 1(a)(ii).

You should use the safety equipment provided while you are carrying out the practical work.

Step 1 Label four test-tubes **A**, **B**, **C** and **D** and put them into the test-tube rack.

Step 2 Use the volumes of 1 mol per dm³ sugar solution and distilled water shown in Table 1.1 to make solutions containing different concentrations of sugar in each test-tube.

Use the syringes provided to make your solutions.

- (a) (i) Complete Table 1.1 by writing in the concentration of the sugar solution in test-tube **C**.

Table 1.1

test-tube	volume of 1 mol per dm ³ sugar solution / cm ³	volume of distilled water / cm ³	concentration of sugar solution / mol per dm ³
A	20	0	1.0
B	12	8	0.6
C	8	12	
D	0	20	0.0

[1]

Step 3 Put the potato cylinders on a white tile and cut each cylinder to exactly 40 mm in length.

Step 4 Add one potato cylinder to each of test-tubes **A**, **B**, **C** and **D**.

Step 5 Leave the potato cylinders in the test-tubes for 20 minutes.

While you are waiting continue with the other questions.

Step 6 After 20 minutes empty the contents of test-tube **A** into the container labelled **waste**.

Step 7 Use the forceps to remove the potato cylinder from the waste container and place it on the white tile.

Step 8 Measure the length of the potato cylinder from test-tube **A** and record this measurement, in **millimetres**, in your table in **1(a)(ii)**. Put the potato cylinder from test-tube **A** onto a paper towel.

Step 9 Repeat steps 6, 7 and 8 for the potato cylinders in test-tubes **B**, **C** and **D**.

- (ii) Prepare a table to record your results in the space provided.

[4]

- (iii) Explain why it was important that the potato cylinders were all cut to the same length in step 3.

.....

 [1]

- (iv) Identify the variable that you changed in this investigation (independent variable).

..... [1]

- (v) Suggest **two** improvements that you could make to the method you have used in this investigation.

1

.....

2

.....

[2]

- (vi) Describe **one** safety precaution you took while preparing the potato cylinders in step 3.

.....

.....

..... [1]

(b) Plan an investigation to find out the effect of temperature on osmosis in plant tissue.

[6]

BLANK PAGE

(c) Potato cells contain starch grains.

- (i) State the solution that would be used to test for the presence of starch and give the result of a positive test.

solution

positive test result

[2]

Fig. 1.1 is a photomicrograph of some plant cells that contain starch grains.




Fig. 1.1

- (ii) Draw a large diagram of cell **X** in Fig. 1.1.

Label **one** starch grain on your drawing.

[5]

- (iii) Line **AB** represents the diameter of the starch grain. Measure the length of line **AB** on Fig. 1.1.

length of line **AB** mm

Calculate the actual diameter of the starch grain using your measurement for line **AB**, the information in Fig. 1.1 and the formula:

$$\text{magnification} = \frac{\text{length of line } \mathbf{AB} \text{ on Fig. 1.1}}{\text{actual diameter of the starch grain}}$$

Give your answer to **two** significant figures.

[3]

[Total: 26]


- 2 (a) A student monitored their pulse rate after exercise. The student's pulse rate before exercise was 62 beats per minute.

The results are shown in Table 2.1.

Table 2.1

time after exercise /minutes	pulse rate /beats per minute
0	156
1	108
2	78
3	66
4	62
5	62

- (i) Plot a line graph on the grid of the data in Table 2.1. Include a line of best fit.



[4]

- (ii) Describe the relationship shown in your graph, between pulse rate and time after exercise.

.....

.....

.....

.....

..... [2]

- (iii) Calculate the percentage change in pulse rate from 0 minutes to 5 minutes using the data in Table 2.1.

Give your answer to **two** decimal places.

Space for working.

.....%

[3]

- (b) The student monitored their pulse rate after exercise on three separate days and calculated their average pulse rate from the data they collected.

The results are shown in Table 2.2.

Table 2.2

time after exercise /minutes	pulse rate /beats per minute			average pulse rate /beats per minute
	day 1	day 2	day 3	
0	156	154	158	156
1	108	107	106	107
2	78	80	76	78
3	66	67	65	66
4	62	120	64	63
5	62	60	61	61

Explain why the student correctly calculated the average pulse rate at 4 minutes after exercise as 63 beats per minute rather than 82 beats per minute.

.....

.....

.....

..... [2]

(c) Fig. 2.1 shows a cross-section of an artery and a vein as seen using a light microscope.




Fig. 2.1

State **one** visible similarity and **two** visible differences between the artery and the vein shown in Fig. 2.1.

similarity

.....

difference 1

.....

difference 2

.....

[3]

[Total: 14]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.