



# Cambridge IGCSE™

CANDIDATE  
NAME

|  |
|--|
|  |
|--|

CENTRE  
NUMBER

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

CANDIDATE  
NUMBER

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

## CHEMISTRY

0620/32

### Paper 3 Theory (Core)

February/March 2026

**1 hour 15 minutes**

You must answer on the question paper.

No additional materials are needed.

## INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen. Do **not** use correction fluid or tape.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

## INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has **16** pages.

1 A list of elements is shown.

aluminium  
boron  
bromine  
carbon  
chlorine  
helium  
hydrogen  
magnesium  
nitrogen  
oxygen  
potassium  
silver  
sodium  
zinc

Answer the following questions using only the elements from the list.  
Each element may be used once, more than once or not at all.

Give the name of the element that:

(a) is approximately 78% of clean, dry air

..... [1]

(b) is formed when zinc reacts with dilute hydrochloric acid

..... [1]

(c) forms an ion with a 3+ charge

..... [1]

(d) has atoms with an electronic configuration of 2,8,1

..... [1]

(e) is the most reactive metal

..... [1]

(f) is a monatomic gas at room temperature and pressure

..... [1]





(g) is a product of photosynthesis

..... [1]

(h) is found in brass

..... [1]

(i) is a gas needed for iron to rust.

..... [1]

[Total: 9]

2 This question is about organic compounds and their reactions.

(a) (i) Write the general formula for alkanes.

..... [1]

(ii) Name **two** substances that are produced when ethane undergoes complete combustion.

..... and ..... [2]

(b) Compound **P** is unsaturated and colourless.

Figure 2.1 shows the displayed formula of compound **P**.




Figure 2.1

(i) On Figure 2.1, draw a circle around the alcohol functional group. [1]

(ii) Deduce the molecular formula of compound **P**.

..... [1]

(iii) A test-tube contains aqueous bromine.

Describe the colour change when excess compound **P** is added to the test-tube.

from ..... to ..... [2]

(c) Ethanol is manufactured by the fermentation of aqueous glucose.

(i) State **two** conditions needed for the fermentation of aqueous glucose.

1 .....

2 ..... [2]

(ii) Name the method used to separate ethanol from the reaction mixture after fermentation has finished.

..... [1]




(d) Ethanoic acid is found in vinegar.

(i) Name the homologous series that includes ethanoic acid.

..... [1]

(ii) Ethanoic acid reacts with sodium.

Complete the word equation for this reaction.



[2]

(e) Poly(ethene) is a polymer.

Draw the displayed formula of the monomer used to make poly(ethene).

[1]

[Total: 14]

3 Titanium is a metal.

(a) (i) State the period number for titanium in the Periodic Table.

..... [1]

(ii) Deduce the number of neutrons and protons in an atom of the isotope of titanium shown.



number of neutrons .....

number of protons ..... [2]

(b) Titanium is a transition element that can be used as a catalyst.

State **two** other properties of transition elements.

1 .....


.....

2 .....

..... [2]

(c) Magnesium reacts with titanium(IV) chloride,  $\text{TiCl}_4$ , to produce titanium.

Complete the symbol equation for this reaction.



(d) Molten magnesium chloride is electrolysed using graphite electrodes.

(i) Define the term electrolysis.

.....

.....

.....

..... [2]

(ii) State **one** property of graphite that makes it suitable for use as an electrode.

..... [1]





(iii) State **one** use of graphite, other than as an electrode.

..... [1]

(iv) Name a metal that can be used as an electrode instead of graphite.

..... [1]

(v) Name the product at each electrode for the electrolysis of molten magnesium chloride and give the observations at the positive electrode.

product at the negative electrode .....

product at the positive electrode .....

observations at the positive electrode .....

..... [3]

[Total: 14]



- 4 The equation shows the reaction of calcium carbonate with dilute hydrochloric acid.



- (a) (i) State the meaning of the symbol (aq) in this equation.

..... [1]

- (ii) Name the item of apparatus used to collect and measure the volume of carbon dioxide produced.

..... [1]

- (b) Small pieces of calcium carbonate react with excess dilute hydrochloric acid of different concentrations. The time taken for each reaction to finish is recorded.

The concentrations of dilute hydrochloric acid used are:

- 0.75 mol/dm<sup>3</sup>
- 1.50 mol/dm<sup>3</sup>
- 3.00 mol/dm<sup>3</sup>.

All other conditions stay the same.

Table 4.1 shows the time taken for each reaction to finish.

**Table 4.1**

| concentration of dilute hydrochloric acid in mol/dm <sup>3</sup> | time taken for reaction to finish in s |
|------------------------------------------------------------------|----------------------------------------|
|                                                                  | 16                                     |
|                                                                  | 32                                     |
|                                                                  | 8                                      |

- (i) Complete Table 4.1 by writing the concentrations in the first column. [1]

- (ii) The experiment is repeated using dilute hydrochloric acid at a higher temperature. All other conditions stay the same.

Describe the effect, if any, on the time taken for the reaction to finish.

..... [1]

- (c) Manganese(IV) oxide acts as a catalyst in some reactions.

Describe what is meant by the term catalyst.

.....  
 .....  
 ..... [2]





- (d) (i) Potassium hydroxide is an alkali.

State the colour change observed when excess aqueous potassium hydroxide is added to a solution of dilute hydrochloric acid with methyl orange indicator.

from ..... to ..... [2]

- (ii) Give the formula of the ion that is present in all aqueous alkalis.

..... [1]

- (iii) Choose the pH value of an alkali.

Draw a circle around your chosen answer.

**pH 2**

**pH 5**

**pH 7**

**pH 12**

[1]

- (e) Copper(II) chloride crystals are prepared by reacting dilute hydrochloric acid with excess solid copper(II) oxide.

Name the method used to remove any unreacted solid copper(II) oxide from the reaction mixture.

..... [1]

- (f) Copper(II) oxide is basic.

Classify the oxides shown in Table 4.2 as acidic or basic.

**Table 4.2**

| oxide               | acidic or basic |
|---------------------|-----------------|
| calcium oxide       |                 |
| carbon dioxide      |                 |
| manganese(IV) oxide |                 |
| sulfur dioxide      |                 |

[2]

[Total: 13]

5 (a) NPK fertilisers are used on fields.

(i) Nitrogen and phosphorus are elements contained in NPK fertilisers.

Name the other element contained in NPK fertilisers.

..... [1]

(ii) State why fertilisers are used.

..... [1]

(iii) One compound that can be found in fertilisers contains the ions  $\text{NH}_4^+$  and  $\text{NO}_3^-$  only.

State the name of this compound.

..... [1]

(iv) Another compound that can be found in fertilisers has the formula  $\text{Ca}_3\text{P}_2\text{O}_8$ .

Complete Table 5.1 to calculate the relative formula mass of  $\text{Ca}_3\text{P}_2\text{O}_8$ .

**Table 5.1**

| type of atom | number of atoms | relative atomic mass |                     |
|--------------|-----------------|----------------------|---------------------|
| calcium      | 3               | 40                   | $3 \times 40 = 120$ |
| phosphorus   |                 | 31                   |                     |
| oxygen       |                 | 16                   |                     |

relative formula mass = ..... [2]

(b) Water from natural sources can be polluted with harmful substances.

State why phosphates and some metal compounds found in river water are harmful.

phosphates .....

.....

metal compounds .....

.....

[2]



(c) Nitrogen dioxide,  $\text{NO}_2$ , is an oxide of nitrogen and an air pollutant.

- (i) Write a word equation to show how nitrogen dioxide is produced from two gases present in air.

..... [1]

- (ii) State **two** adverse effects of nitrogen dioxide in air.

1 .....

2 ..... [2]

[Total: 10]

6 This question is about substances and their uses.

- (a) (i) Give **two** properties of aluminium that make it suitable for the manufacture of overhead electrical cables.

1 .....

2 ..... [2]

- (ii) Give **one** property of diamond that makes it suitable for use in cutting tools.

..... [1]

- (b) Substance **X** has a melting point of  $113^{\circ}\text{C}$  and a boiling point of  $445^{\circ}\text{C}$ .

Deduce the physical state of substance **X** at  $-5^{\circ}\text{C}$ .

Give a reason for your answer.

physical state .....

reason .....

..... [2]

[Total: 5]



7 Oxygen is an element that has isotopes.

(a) (i) State the meaning of the term isotopes.

.....

.....

..... [2]

(ii) Relative atomic mass is the average mass of an atom of an element compared to the mass of a specific isotope.

Identify the specific isotope used for this comparison.

Draw a circle around your chosen answer.

 $^{12}\text{C}$  $^{14}\text{C}$  $^{16}\text{O}$  $^{18}\text{O}$ 

[1]

(b) Oxygen is a gas at room temperature and pressure.

Describe the arrangement and separation of the particles in gaseous oxygen.

arrangement .....

.....

separation .....

..... [2]

(c) Oxygen can exist in different states of matter.

Name the change of state for each description.

solid to liquid .....

gas to liquid ..... [2]

[Total: 7]

8 Potassium iodide is an ionic compound.

(a) Describe tests to identify the **two** ions contained in potassium iodide.

potassium ions

test .....

observations .....

iodide ions

test .....

observations .....

[4]

(b) Potassium iodide is soluble in water.

Identify **one** other compound that is soluble in water.

Tick (✓) **one** box.

barium sulfate

☐

lead(II) sulfate

☐

magnesium carbonate

☐

sodium carbonate

☐

[1]

(c) State **two** physical properties of an ionic compound other than solubility in water.

1 .....

2 .....

[2]



(d) Potassium reacts with iodine to produce potassium iodide.

When a 5.6 g sample of potassium reacts with excess iodine, 23.8 g of potassium iodide is produced.

Calculate the mass of potassium iodide produced when 2.8 g of potassium reacts with excess iodine.

mass = .....g [1]

[Total: 8]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (Cambridge University Press & Assessment) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in our Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge International Education is the name of our awarding body and a part of Cambridge University Press & Assessment, which is a department of the University of Cambridge.



# The Periodic Table of Elements

| Group                      |                             |                                                                              |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
|----------------------------|-----------------------------|------------------------------------------------------------------------------|---------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|------------------------------|-----------------------------|
| I                          | II                          | Key                                                                          |                                 |                             |                              |                             |                              |                              |                                |                               |                               | III                         | IV                          | V                           | VI                            | VII                          | VIII                        |
|                            |                             | <div>1<br/>H<br/>hydrogen<br/>1</div>                                        |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
|                            |                             | <div>atomic number<br/>atomic symbol<br/>name<br/>relative atomic mass</div> |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
| 3<br>Li<br>lithium<br>7    | 4<br>Be<br>beryllium<br>9   |                                                                              |                                 |                             |                              |                             |                              |                              |                                |                               |                               | 5<br>B<br>boron<br>11       | 6<br>C<br>carbon<br>12      | 7<br>N<br>nitrogen<br>14    | 8<br>O<br>oxygen<br>16        | 9<br>F<br>fluorine<br>19     | 10<br>Ne<br>neon<br>20      |
| 11<br>Na<br>sodium<br>23   | 12<br>Mg<br>magnesium<br>24 |                                                                              |                                 |                             |                              |                             |                              |                              |                                |                               |                               | 13<br>Al<br>aluminum<br>27  | 14<br>Si<br>silicon<br>28   | 15<br>P<br>phosphorus<br>31 | 16<br>S<br>sulfur<br>32       | 17<br>Cl<br>chlorine<br>35.5 | 18<br>Ar<br>argon<br>40     |
| 19<br>K<br>potassium<br>39 | 20<br>Ca<br>calcium<br>40   | 21<br>Sc<br>scandium<br>45                                                   | 22<br>Ti<br>titanium<br>48      | 23<br>V<br>vanadium<br>51   | 24<br>Cr<br>chromium<br>52   | 25<br>Mn<br>manganese<br>55 | 26<br>Fe<br>iron<br>56       | 27<br>Co<br>cobalt<br>59     | 28<br>Ni<br>nickel<br>59       | 29<br>Cu<br>copper<br>64      | 30<br>Zn<br>zinc<br>65        | 31<br>Ga<br>gallium<br>70   | 32<br>Ge<br>germanium<br>73 | 33<br>As<br>arsenic<br>75   | 34<br>Se<br>selenium<br>79    | 35<br>Br<br>bromine<br>80    | 36<br>Kr<br>krypton<br>84   |
| 37<br>Rb<br>rubidium<br>85 | 38<br>Sr<br>strontium<br>88 | 39<br>Y<br>yttrium<br>89                                                     | 40<br>Zr<br>zirconium<br>91     | 41<br>Nb<br>niobium<br>93   | 42<br>Mo<br>molybdenum<br>96 | 43<br>Tc<br>technetium<br>— | 44<br>Ru<br>ruthenium<br>101 | 45<br>Rh<br>rhodium<br>103   | 46<br>Pd<br>palladium<br>106   | 47<br>Ag<br>silver<br>108     | 48<br>Cd<br>cadmium<br>112    | 49<br>In<br>indium<br>115   | 50<br>Sn<br>tin<br>119      | 51<br>Sb<br>antimony<br>122 | 52<br>Te<br>tellurium<br>128  | 53<br>I<br>iodine<br>127     | 54<br>Xe<br>xenon<br>131    |
| 55<br>Cs<br>caesium<br>133 | 56<br>Ba<br>barium<br>137   | 57–71<br>lanthanoids                                                         | 72<br>Hf<br>hafnium<br>178      | 73<br>Ta<br>tantalum<br>181 | 74<br>W<br>tungsten<br>184   | 75<br>Re<br>rhenium<br>186  | 76<br>Os<br>osmium<br>190    | 77<br>Ir<br>iridium<br>192   | 78<br>Pt<br>platinum<br>195    | 79<br>Au<br>gold<br>197       | 80<br>Hg<br>mercury<br>201    | 81<br>Tl<br>thallium<br>204 | 82<br>Pb<br>lead<br>207     | 83<br>Bi<br>bismuth<br>209  | 84<br>Po<br>polonium<br>—     | 85<br>At<br>astatine<br>—    | 86<br>Rn<br>radon<br>—      |
| 87<br>Fr<br>francium<br>—  | 88<br>Ra<br>radium<br>—     | 89–103<br>actinoids                                                          | 104<br>Rf<br>rutherfordium<br>— | 105<br>Db<br>dubnium<br>—   | 106<br>Sg<br>seaborgium<br>— | 107<br>Bh<br>bohrium<br>—   | 108<br>Hs<br>hassium<br>—    | 109<br>Mt<br>meitnerium<br>— | 110<br>Ds<br>darmstadtium<br>— | 111<br>Rg<br>roentgenium<br>— | 112<br>Cn<br>copernicium<br>— | 113<br>Nh<br>nihonium<br>—  | 114<br>Fl<br>flerovium<br>— | 115<br>Mc<br>moscovium<br>— | 116<br>Lv<br>livermorium<br>— | 117<br>Ts<br>tennessine<br>— | 118<br>Og<br>oganesson<br>— |

lanthanoids

actinoids

The volume of one mole of any gas is  $24 \text{ dm}^3$  at room temperature and pressure (r.t.p.).