



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

0620/31

October/November 2021

1 hour 15 minutes


No additional materials are needed.

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **20** pages. Any blank pages are indicated.

- 1 (a) A list of formulae is shown.



Answer the following questions using these formulae.
 Each formula may be used once, more than once or not at all.

State which formula represents:

- (i) a compound that changes colour from white to blue when water is added

..... [1]

- (ii) a compound that is used to make cement

..... [1]

- (iii) an element that forms 78% of clean, dry air

..... [1]


- (iv) a compound that contains an ion with a single positive charge

..... [1]

- (v) a compound that dissolves in water to form an alkaline solution.

..... [1]

- (b) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of ammonia.



[2]

- (c) State whether magnesium oxide is a basic oxide or an acidic oxide.
Give a reason for your answer.

.....

..... [1]

[Total: 8]

2 The table shows the masses of some of the ions in 1000 cm^3 of rainwater.

name of ion	formula of ion	mass of ion in 1000 cm^3 of rainwater / mg
	NH_4^+	0.08
calcium	Ca^{2+}	0.13
chloride	Cl^-	1.30
magnesium	Mg^{2+}	0.08
nitrate	NO_3^-	0.70
potassium	K^+	0.08
sodium	Na^+	0.80
	SO_4^{2-}	1.60

(a) Answer these questions using only the information in the table.

(i) State which of the positive ions has the highest concentration.

..... [1]

(ii) Name the compound containing NH_4^+ and SO_4^{2-} ions.

..... [1]

(iii) Calculate the mass of magnesium ions in 400 cm^3 of rainwater.

mass = mg [1]


(b) Describe a test for chloride ions.

test

observations

[2]

- (c) Small amounts of carboxylic acids are also present in rainwater.
The structure of tartaric acid is shown.



- (i) On the structure draw a circle around one alcohol functional group. [1]

- (ii) Deduce the formula of tartaric acid to show the number of carbon, hydrogen and oxygen atoms.

..... [1]

- (d) Tartaric acid can be converted into compound **A**.
The formula of compound **A** is $\text{C}_3\text{H}_4\text{O}_3$.


Complete the table to calculate the relative molecular mass of compound **A**.

type of atom	number of atoms	relative atomic mass	
carbon	3	12	$3 \times 12 = 36$
hydrogen		1	
oxygen		16	

relative molecular mass = [2]

[Total: 9]

- 3 The diagram shows a blast furnace used in the extraction of iron.



- (a) Air is blown into the furnace.

State which letter on the diagram, **B**, **C**, **D** or **E**, shows where air is blown into the furnace.

..... [1]

- (b) (i) Complete the chemical equation for the reduction of iron(III) oxide in the blast furnace.




- (ii) Explain how this equation shows that iron(III) oxide is reduced.

..... [1]

- (c) Calcium carbonate (limestone) is added to the blast furnace.
The calcium carbonate undergoes thermal decomposition.

- (i) Complete the word equation for this reaction.



[2]

- (ii) One of the products of this reaction reacts with impurities in the iron to form slag.

Use the information in the diagram to suggest how you know that molten slag is less dense than molten iron.

..... [1]

- (d) (i) Use words from the list to complete these sentences about how steel is made from iron.

acidic basic chlorides methane neutral

nitrogen oxides oxygen sulfates

A gas is blown through the molten iron. The name of this gas is

Acidic gases are formed. These acidic gases react with [3]

- (ii) State **one** use of mild steel.

..... [1]

- (iii) Metals such as chromium are added to iron to make stainless steel.

The symbol for an isotope of chromium is shown.



Deduce the number of electrons, neutrons and protons in one atom of this isotope of chromium.

number of electrons

number of neutrons

number of protons

[3]

- (e) Chromium conducts electricity and is shiny.

Give two **other** physical properties of chromium that are characteristic of all metals.

1

2

[2]

[Total: 16]

4 The table shows some properties of the Group I elements.

element	melting point / °C	density in g/cm ³	observations during reaction with water
lithium	181		slow bubbling no flame
sodium	98		rapid bubbling no flame
potassium	63	0.86	rapid bubbling lilac flame
rubidium		1.53	
caesium	29	1.88	explodes

(a) (i) Complete the table by predicting:

- the melting point of rubidium
- the density of lithium.

[2]

(ii) Predict the observations when rubidium reacts with water.

.....
..... [1]

(b) Deduce the electronic structure of potassium.
Use the Periodic Table to help you.

..... [1]

(c) Lithium reacts with water to produce aqueous lithium hydroxide and a gas which 'pops' with a lighted splint.

(i) Name the gas which 'pops' with a lighted splint.

..... [1]

(ii) Choose **one** pH value from the list that best describes the pH of aqueous lithium hydroxide.

Draw a circle around the correct answer.

pH 2 pH 5 pH 7 pH 13 [1]

(iii) Lithium reacts with nitrogen.

Complete the chemical equation for this reaction.



[Total: 8]

Question 5 starts on the next page.

5 The table shows the structures of some organic compounds.

compound	structure of compound	homologous series
G	$ \begin{array}{c} \text{H} \quad \text{H} \quad \text{O} \\ \quad \quad \\ \text{H}-\text{C}-\text{C}-\text{C}-\text{O}-\text{H} \\ \quad \\ \text{H} \quad \text{H} \end{array} $	carboxylic acid
H	$ \begin{array}{c} \text{H} \quad \quad \text{H} \\ \quad \quad \\ \text{H}-\text{C}-\text{C}=\text{C} \\ \quad \quad \\ \text{H} \quad \text{H} \quad \text{H} \end{array} $	
J	$ \begin{array}{c} \text{H} \quad \text{H} \\ \quad \\ \text{H}-\text{C}-\text{C}-\text{H} \\ \quad \\ \text{H} \quad \text{H} \end{array} $	

- (a) Complete the table by naming the homologous series.
The first one has been done for you.

[2]

- (b) Draw the structure of a compound containing two carbon atoms which belongs to the same homologous series as compound **H**.
Show all of the atoms and all of the bonds.

[1]

- (c) State which compound in the table is an unsaturated hydrocarbon.
Explain your answer.

.....
 [1]

- (d) State which compound in the table reacts with aqueous sodium hydroxide.
Explain your answer.

.....
..... [1]

- (e) State the names of the **two** compounds formed during the complete combustion of compound J.

..... and [2]

- (f) Compound H can be polymerised.

- (i) State the general name given to the small units which join together to form a polymer.

..... [1]



- (ii) *Terylene* is also a polymer.

Give **one** use of *Terylene*.

..... [1]

[Total: 9]

- 6 The diagram shows part of the structures of sodium bromide and graphite at room temperature and pressure.



- (a) Describe the physical properties of these substances in terms of:

- volatility

sodium bromide

graphite

- solubility in water

sodium bromide

graphite

- electrical conductivity when solid.

sodium bromide

graphite

[5]


- (b) When dilute sulfuric acid is electrolysed using inert electrodes, oxygen gas is produced at the positive electrode.

Name the gas produced at the negative electrode.

..... [1]

(c) Aqueous sodium bromide reacts with aqueous chlorine.

(i) Complete the word equation for this reaction.



[2]

(ii) Explain in terms of the reactivity of the halogens why aqueous sodium chloride does **not** react with aqueous bromine.

.....

..... [1]

[Total: 9]

7 This question is about nitrogen and compounds of nitrogen.

(a) When nitrogen is cooled to below -196°C it changes state from gas to liquid.

(i) Name the change of state from gas to liquid.

..... [1]

(ii) Use the kinetic particle theory to describe the differences between nitrogen gas and liquid nitrogen in terms of:

- the separation of the particles

.....

- the motion of the particles.

.....

 [4]

(b) Oxides of nitrogen are pollutants in the air.

(i) State **one** source of oxides of nitrogen in the air.

..... [1]

(ii) Oxides of nitrogen contribute to acid rain.

Give **one** adverse effect of acid rain on buildings.

..... [1]

(c) Nitric acid contains the nitrate ion.

(i) Use words from the list to complete the sentences to describe the test for nitrate ions.

aluminium	ammonia	chloride	copper
hydroxide	iron	oxygen	sulfate

Put the sample in a test-tube then add aqueous sodium


Then add

Warm gently. A gas is produced. The name of this gas is

[3]

(ii) Nitric acid reacts with calcium carbonate.

Complete the word equation for this reaction.



[3]


[Total: 13]

- 8 The rate of decomposition of aqueous hydrogen peroxide, H_2O_2 , is increased by an enzyme.



The rate of reaction is found by measuring the volume of oxygen gas given off as the reaction proceeds.

The results are shown on the graph.



- (a) (i) Deduce the volume of oxygen gas released when the reaction is complete.

volume = cm³ [1]

- (ii) Deduce the volume of oxygen gas produced 50 seconds from the start of the reaction.

volume = cm³ [1]

- (b) The experiment was repeated using hydrogen peroxide of a higher concentration.

All other conditions stayed the same.

Draw a line **on the grid** to show how the volume of oxygen changes with time when hydrogen peroxide of a higher concentration is used. [2]

(c) Describe the effect each of the following has on the rate of decomposition of hydrogen peroxide.

- The reaction is carried out at a lower temperature.

All other conditions stay the same.

.....

- The reaction is carried out without an enzyme.

All other conditions stay the same.

.....

[2]

(d) Some metal oxides catalyse the decomposition of hydrogen peroxide.

The table shows the time taken to produce 20 cm³ of oxygen gas using three different metal oxide powders as catalysts.

All other conditions stay the same.

metal oxide	time taken to produce 20 cm ³ of oxygen gas/s
iron(III) oxide	26
lead(IV) oxide	12
manganese(IV) oxide	15

- (i) Put the three oxides in order of their ability to catalyse the reaction.
Put the **best** catalyst first.

best catalyst $\longrightarrow$ worst catalyst

--	--	--

[1]

- (ii) The experiments with the metal oxide catalysts used powdered oxide.

Describe the effect on the rate of decomposition of hydrogen peroxide when large pieces of catalyst are used instead of powdered catalyst.

All other conditions stay the same.

..... [1]

[Total: 8]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

Group

Group																	
I	II											III	IV	V	VI	VII	VIII
		1Hhydrogen1															
		atomic number atomic symbol name relative atomic mass															
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	2He helium 4
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131
55Cs caesium 133	56Ba barium 137	57–71lanthanoids	72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103actinoids	104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	114Fl flerovium —	116Lv livermorium —				
lanthanoids		57La lanthanum 139	58Ce cerium 140	59Pr praseodymium 141	60Nd neodymium 144	61Pm promethium —	62Sm samarium 150	63Eu europium 152	64Gd gadolinium 157	65Tb terbium 159	66Dy dysprosium 163	67Ho holmium 165	68Er erbium 167	69Tm thulium 169	70Yb ytterbium 173	71Lu lutetium 175	
actinoids		89Ac actinium —	90Th thorium 232	91Pa protactinium 231	92U uranium 238	93Np neptunium —	94Pu plutonium —	95Am americium —	96Cm curium —	97Bk berkelium —	98Cf californium —	99Es einsteinium —	100Fm fermium —	101Md mendelevium —	102No nobelium —	103Lr lawrencium —	