



Cambridge IGCSE™

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY**0620/31**

Paper 3 Theory (Core)

October/November 2024**1 hour 15 minutes**

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **20** pages. Any blank pages are indicated.



1 (a) Fig. 1.1 shows part of the Periodic Table.

I II		III IV V VI VII VIII							
Na								F	
K	Ca						Ni		Ar
								Br	
								I	

Fig. 1.1

Answer the following questions using only the elements in Fig. 1.1.
Each symbol of the element may be used once, more than once or not at all.

Give the symbol of the element that:

(i) produces a lilac colour in a flame test

..... [1]

(ii) has an atom with only two occupied electron shells

..... [1]

(iii) is an unreactive gas

..... [1]

(iv) forms an ion that gives a white precipitate after the addition of excess sodium hydroxide

..... [1]

(v) forms an ion with a charge of 2–

..... [1]

(vi) is added to iron to make stainless steel.

..... [1]

(b) Stainless steel is a mixture.

State **two** characteristics of a mixture.

1

2

[2]

[Total: 8]





Question 2 starts on the next page.





2 Nitrogen molecules are diatomic.

(a) (i) State the meaning of the term diatomic.

..... [1]

(ii) State the percentage of nitrogen in clean, dry air.

..... [1]

(b) Ammonia has a simple molecular structure.

Complete Fig. 2.1 to show the dot-and-cross diagram for a molecule of ammonia.
Show outer shell electrons only.




Fig. 2.1

[2]

(c) Sodium chloride has a giant ionic structure of positive and negative ions.

(i) State the general name given to any positive ion.

..... [1]

(ii) State **one** physical property of an ionic compound.

..... [1]





(d) Graphite is used as an electrode.

(i) State one **other** use of graphite.

..... [1]

(ii) Choose the correct statement that describes the structure and bonding in graphite.

Tick (✓) **one** box.

simple covalent molecule

☐

giant ionic

☐

simple ionic

☐

giant covalent

☐

[1]

[Total: 8]





- 3 (a) Polluted water can contain harmful substances such as plastics and phosphates.

State two **other** types of harmful substance in polluted water.

1

2 [2]

- (b) Table 3.1 shows the masses of ions, in mg, present in a 1000 cm^3 sample of polluted water.

Table 3.1

name of ion	formula of ion	mass of ion in 1000 cm^3 of polluted water / mg
ammonium	NH_4^+	0.6
bromide	Br^-	0.3
calcium	Ca^{2+}	2.5
chloride	Cl^-	2.5
hydrogencarbonate	HCO_3^-	12.0
magnesium	Mg^{2+}	0.8
	NO_3^-	0.4
phosphate	PO_4^{3-}	0.5
potassium	K^+	5.3
silicate	SiO_3^{2-}	3.0
sodium	Na^+	9.2
sulfate	SO_4^{2-}	0.5

Answer these questions using the information from Table 3.1.

- (i) Name the negative ion that has the lowest concentration.

..... [1]

- (ii) State the name of the NO_3^- ion.

..... [1]

- (iii) Calculate the mass of sodium ions in 250 cm^3 of polluted water.

mass = mg [1]



(c) Fig. 3.1 shows some of the stages in the treatment of the domestic water supply.




Fig. 3.1

(i) Complete Fig. 3.1 by adding the final stage. [1]

(ii) State why carbon is added to drinking water.


..... [1]

(d) Describe how to test the purity of water using melting point.

.....

 [2]

(e) Complete the symbol equation for the reaction of phosphorus(V) chloride, PCl_5 , with water.



[Total: 11]





4 (a) Fig. 4.1 shows the displayed formula of compound **A**.




Fig. 4.1

(i) Explain why compound **A** is described as unsaturated.

.....
 [1]

(ii) Explain why compound **A** is a hydrocarbon.

.....
 [1]

(iii) Deduce the molecular formula of compound **A**.

..... [1]

(b) Compound **A** reacts with steam to produce an alcohol.

(i) State the general formula for the homologous series of alcohols.

..... [1]

(ii) Ethanol is an alcohol which can be manufactured by fermentation.

- Name **two** substances needed for fermentation.

1

2

- Give **two** conditions needed for fermentation.

1

2 [4]

(iii) State **one** use of ethanol.

..... [1]



- (c) A compound in the same homologous series as compound **A** reacts with ozone, O_3 , to form compound **B**.

- (i) Define the term homologous series.

.....
 [2]

- (ii) The molecular formula for compound **B** is $C_6H_{12}O_3$.

Complete Table 4.1 to calculate the relative molecular mass of $C_6H_{12}O_3$.

Table 4.1

type of atom	number of atoms	relative atomic mass	
carbon	6	12	$6 \times 12 = 72$
hydrogen		1	
oxygen		16	

relative molecular mass = [2]

[Total: 13]





5 (a) Table 5.1 shows some properties of five halogens.

Table 5.1

halogen	melting point /°C	boiling point /°C	atomic radius /nm
fluorine	−220	−188	
chlorine	−101	−35	0.099
bromine	−7	+59	0.114
iodine		+184	0.133
astatine	+302	+337	0.155

Use the information in Table 5.1 to predict:

- (i) the melting point of iodine [1]
- (ii) the atomic radius of fluorine [1]
- (iii) the physical state of bromine at 0 °C. Give a reason for your answer.

physical state

reason

..... [2]

(b) Aqueous chlorine reacts with aqueous potassium iodide.

- (i) Complete the word equation for this reaction.



[2]

- (ii) Explain why aqueous iodine does **not** react with aqueous potassium bromide.


..... [1]





(c) Fluorine reacts with hot concentrated sodium hydroxide to produce sodium fluoride, water and oxygen.

(i) Complete the symbol equation for this reaction.



(ii) Describe a test for oxygen.

test

observations

[2]

[Total: 11]





6 This question is about metals.

(a) Metals are good electrical conductors.

State three **other** typical physical properties of metals.

1

2

3

[3]

(b) (i) Complete Table 6.1 to show the number of electrons, neutrons and protons in the potassium atom and the nickel ion shown.

Table 6.1

	number of electrons	number of neutrons	number of protons
$^{41}_{19}\text{K}$	19		
$^{62}_{28}\text{Ni}^{2+}$		34	

[3]

(ii) Write the electronic configuration of the potassium atom.

..... [1]

(c) Choose **one** property from the list that shows that nickel is a transition element.

Tick (✓) **one** box.

has a low density

☐

forms coloured compounds

☐

has a low melting point

☐


does **not** act as a catalyst

☐

[1]



- (d) Nickel can be manufactured by reducing nickel(II) oxide with carbon monoxide and hydrogen.



Explain how this equation shows that nickel(II) oxide is reduced.

..... [1]

- (e) Table 6.2 shows the observations when four different metals are heated with steam.

Table 6.2

metal	observations with steam
chromium	forms an oxide layer slowly
copper	forms an oxide layer very slowly
magnesium	forms an oxide layer rapidly
niobium	does not form an oxide layer

Put the four metals in order of their reactivity.

Put the least reactive metal first.

least reactive $\longrightarrow$ most reactive

--	--	--	--

[2]

[Total: 11]





7 This question is about acids, bases and salts.

(a) Crystals of potassium chloride can be made by reacting an acid with an alkali.

(i) Name the acid and the alkali used.

acid

alkali [2]

(ii) Choose from the list the type of reaction that takes place when an acid reacts with an alkali.

Draw a circle around your chosen answer.

addition neutralisation redox substitution [1]

(iii) Thymolphthalein is an acid–base indicator.

State the colour of thymolphthalein at pH 2 and at pH 12.

colour at pH 2

colour at pH 12 [2]

(iv) Describe how to make dry crystals of potassium chloride from an aqueous solution of potassium chloride.

.....

 [2]



(b) Crystals of potassium chloride dissolve in water. This process is endothermic.

(i) Define the term endothermic.

.....
 [1]

(ii) Fig. 7.1 shows the reaction pathway diagram for dissolving potassium chloride in water.




Fig. 7.1

Answer the following questions using the information in Fig. 7.1.

- State the meaning of the state symbol (l).

.....

- Explain how Fig. 7.1 shows that dissolving potassium chloride in water is endothermic.

.....

.....

[2]

[Total: 10]





- 8 (a) A student investigates the reaction of small pieces of zinc with excess dilute sulfuric acid of three different concentrations.
The time taken for each reaction to finish is recorded.

The three concentrations of the acid are:

- 0.2 mol/dm^3
- 0.4 mol/dm^3
- 0.8 mol/dm^3 .

All other conditions stay the same.

Table 8.1 shows the time taken for each reaction to finish.

Table 8.1

concentration of dilute sulfuric acid in mol/dm^3	time taken for the reaction to finish in s
	92
	23
	46

- (i) Complete Table 8.1 by writing the concentrations in the first column. [1]
- (ii) Describe the effect on the time taken for the reaction to finish when the reaction is carried out in the presence of a catalyst.
All other conditions stay the same.
..... [1]
- (iii) Describe the effect on the time taken for the reaction to finish when larger pieces of zinc are used instead of small pieces of zinc.
All other conditions stay the same.
..... [1]





(b) Dilute sulfuric acid is electrolysed using inert electrodes.

(i) Name the products at the positive and negative electrodes.

product at the positive electrode

product at the negative electrode

[2]

(ii) Choose from the list the metal used as an inert electrode.

Draw a circle around your chosen answer.

calcium

magnesium

platinum

sodium

[1]

(c) Zinc is a solid at room temperature.

Describe the arrangement and separation of the particles in solid zinc.

arrangement

.....

separation

.....

[2]

[Total: 8]







BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.





The Periodic Table of Elements

Group																																				
I	II											III	IV	V	VI	VII	VIII																			
												1 H hydrogen 1																								
3	Li lithium 7	4	Be beryllium 9	atomic number atomic symbol name relative atomic mass										5	B boron 11	6	C carbon 12	7	N nitrogen 14	8	O oxygen 16	9	F fluorine 19	10	Ne neon 20											
11	Na sodium 23	12	Mg magnesium 24											13	Al aluminium 27	14	Si silicon 28	15	P phosphorus 31	16	S sulfur 32	17	Cl chlorine 35.5	18	Ar argon 40											
19	K potassium 39	20	Ca calcium 40	21	Sc scandium 45	22	Ti titanium 48	23	V vanadium 51	24	Cr chromium 52	25	Mn manganese 55	26	Fe iron 56	27	Co cobalt 59	28	Ni nickel 59	29	Cu copper 64	30	Zn zinc 65	31	Ga gallium 70	32	Ge germanium 73	33	As arsenic 75	34	Se selenium 79	35	Br bromine 80	36	Kr krypton 84	
37	Rb rubidium 85	38	Sr strontium 88	39	Y yttrium 89	40	Zr zirconium 91	41	Nb niobium 93	42	Mo molybdenum 96	43	Tc technetium	44	Ru ruthenium 101	45	Rh rhodium 103	46	Pd palladium 106	47	Ag silver 108	48	Cd cadmium 112	49	In indium 115	50	Sn tin 119	51	Sb antimony 122	52	Te tellurium 128	53	I iodine 127	54	Xe xenon 131	
55	Cs caesium 133	56	Ba barium 137	57–71 lanthanoids			72	Hf hafnium 178	73	Ta tantalum 181	74	W tungsten 184	75	Re rhenium 186	76	Os osmium 190	77	Ir iridium 192	78	Pt platinum 195	79	Au gold 197	80	Hg mercury 201	81	Tl thallium 204	82	Pb lead 207	83	Bi bismuth 209	84	Po polonium —	85	At astatine —	86	Rn radon —
87	Fr francium —	88	Ra radium —	89–103 actinoids			104	Rf rutherfordium —	105	Db dubnium —	106	Sg seaborgium —	107	Bh bohrium —	108	Hs hassium —	109	Mt meitnerium —	110	Ds darmstadtium —	111	Rg roentgenium —	112	Cn copernicium —	113	Nh nihonium —	114	Fl flerovium —	115	Mc moscovium —	116	Lv livermorium —	117	Ts tennessine —	118	Og oganesson —

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

