



# Cambridge IGCSE™

## CHEMISTRY

0620/12

Paper 1 Multiple Choice (Core)

October/November 2025

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet  
Soft clean eraser  
Soft pencil (type B or HB is recommended)

## INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

## INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.



- 1 Water exists as solid ice, liquid water and steam.

In which states can water easily be compressed to half its original volume?

- A ice, liquid water and steam
- B liquid water and steam only
- C liquid water only
- D steam only

- 2 The melting point of sulfur is  $113^{\circ}\text{C}$ .

Which row describes the arrangement and movement of sulfur particles at  $25^{\circ}\text{C}$ ?

|   | arrangement of particles | movement of particles         |
|---|--------------------------|-------------------------------|
| A | regular                  | vibrate about fixed positions |
| B | regular                  | random                        |
| C | random                   | vibrate about fixed positions |
| D | random                   | random                        |

- 3 Solid Y is added to an excess of hot water.

A blue solution forms and a brown solid remains.

The brown solid is filtered off and dried.

The brown solid conducts electricity.


What is Y?

- A a compound that contains a metal
- B a mixture that contains a metal
- C a pure substance that is a metal
- D a pure substance that is a non-metal

- 4 Which statement about the structure of an atom is correct?

- A Electrons and protons each have a relative mass of 1, and neutrons have no charge.
- B Electrons have a relative mass of 1 and a negative charge.
- C Protons have a relative mass of 1 and a negative charge.
- D Neutrons have a relative mass of 1 and no charge.

- 5 The diagram shows the electronic configuration of a particle with a nucleon number of 40.




The table shows the suggestions that three students, 1, 2 and 3, made to identify the particle.

|          | student |    |                  |
|----------|---------|----|------------------|
|          | 1       | 2  | 3                |
| particle | Ar      | Cl | Ca <sup>2+</sup> |

Which students are correct?

- A** 1, 2 and 3      **B** 1 and 2 only      **C** 1 and 3 only      **D** 2 and 3 only
- 6 What is defined as different atoms of the same element with the same number of protons but different numbers of neutrons?
- A** homologous series  
**B** isotopes  
**C** mass number  
**D** the group number
- 7 The electronic configurations of atoms Q and R are shown.



Q and R form an ionic compound.

What is the formula of the compound?

- A** R<sub>7</sub>Q      **B** R<sub>4</sub>Q<sub>2</sub>      **C** RQ      **D** RQ<sub>7</sub>

8 Which properties are typical of simple molecules?

- 1 high melting point
- 2 good electrical conductivity
- 3 low boiling point
- 4 high malleability

**A** 1 and 2      **B** 2 and 4      **C** 3 and 4      **D** 3 only

9 Diamond is extremely hard and does **not** conduct electricity.

Which statement explains these properties?

- A** It has positive carbon ions surrounded by delocalised electrons.
- B** It has strong ionic bonds between each carbon atom.
- C** It has delocalised electrons, and each carbon atom forms three covalent bonds with other carbon atoms.
- D** It has **no** delocalised electrons, and each carbon atom forms four covalent bonds with other carbon atoms.

10 Which equation represents the complete combustion of butane,  $C_4H_{10}$ ?

- A**  $2C_4H_{10} + 5O_2 \rightarrow 8C + 10H_2O$
- B**  $2C_4H_{10} + 9O_2 \rightarrow 8CO + 10H_2O$
- C**  $2C_4H_{10} + 13O_2 \rightarrow 8CO_2 + 10H_2O$
- D**  $C_4H_{10} + 4O_2 \rightarrow 4CO_2 + 5H_2$

11 What is the relative formula mass of calcium sulfate,  $CaSO_4$ ?

**A** 88      **B** 92      **C** 136      **D** 232

12 What is the product at each electrode when molten silver iodide is electrolysed using inert electrodes?

|          | cathode  | anode  |
|----------|----------|--------|
| <b>A</b> | hydrogen | iodine |
| <b>B</b> | iodine   | silver |
| <b>C</b> | silver   | iodine |
| <b>D</b> | silver   | oxygen |


- 13 Which row describes a product at each electrode when dilute sulfuric acid is electrolysed using inert electrodes?

|          | product at anode                       | product at cathode                     |
|----------|----------------------------------------|----------------------------------------|
| <b>A</b> | 10 cm <sup>3</sup> of a colourless gas | 10 cm <sup>3</sup> of a brown gas      |
| <b>B</b> | 10 cm <sup>3</sup> of a colourless gas | 20 cm <sup>3</sup> of a colourless gas |
| <b>C</b> | 20 cm <sup>3</sup> of a colourless gas | 10 cm <sup>3</sup> of a colourless gas |
| <b>D</b> | 20 cm <sup>3</sup> of a brown gas      | 10 cm <sup>3</sup> of a colourless gas |

- 14 Which experiment is the most exothermic?

|          | initial temperature / °C | final temperature / °C |
|----------|--------------------------|------------------------|
| <b>A</b> | 20                       | 5                      |
| <b>B</b> | 20                       | 32                     |
| <b>C</b> | 25                       | 12                     |
| <b>D</b> | 25                       | 34                     |

- 15 In which test-tube is a physical change taking place?



- 16 Which items of apparatus are essential when measuring the effect of temperature on the rate of any reaction?

- 1 balance
- 2 gas syringe
- 3 stop-watch
- 4 thermometer

**A** 1 and 2

**B** 1 and 3

**C** 2 and 4

**D** 3 and 4

**17** When pink cobalt(II) chloride is heated, it forms a blue solid and water.

When water is added to the blue solid, it releases heat and a pink solid is formed.

Which row describes the type of reaction that occurs and the pink cobalt(II) chloride?

|          | type of reaction | pink cobalt(II) chloride |
|----------|------------------|--------------------------|
| <b>A</b> | non-reversible   | anhydrous                |
| <b>B</b> | non-reversible   | hydrated                 |
| <b>C</b> | reversible       | anhydrous                |
| <b>D</b> | reversible       | hydrated                 |

**18** What is the oxidation number of iron in iron(III) oxide,  $\text{Fe}_2\text{O}_3$ ?

**A** +2

**B** +3

**C** -2

**D** -3

**19** Which substances react with dilute hydrochloric acid to form aqueous copper(II) chloride?

1 copper

2 copper(II) oxide

3 copper(II) carbonate

4 copper(II) hydroxide

**A** 1, 2, 3 and 4

**B** 1, 2 and 3 only

**C** 2, 3 and 4 only

**D** 2 and 3 only

- 20** A few drops of thymolphthalein and methyl orange are added separately to two test-tubes containing solution X.

Solution Y is then added to both test-tubes until present in excess.

The colours of the indicators before and after addition of solution Y are shown.

|                                             | colour of thymolphthalein | colour of methyl orange |
|---------------------------------------------|---------------------------|-------------------------|
| solution X only                             | colourless                | red                     |
| mixture of solution X and excess solution Y | blue                      | yellow                  |

What is solution Y?

- A**  $\text{HCl(aq)}$       **B**  $\text{NaOH(aq)}$       **C**  $\text{H}_2\text{O(l)}$       **D**  $\text{NaCl(aq)}$
- 21** Which mixture of solids is separated by adding water, stirring, and then using filtration?
- A** ammonium chloride and silver chloride  
**B** barium sulfate and calcium sulfate  
**C** copper(II) hydroxide and iron(III) hydroxide  
**D** potassium nitrate and sodium nitrate
- 22** The character of the elements and charges on the ions of the elements change across the Periodic Table.

Which row describes the elements on the left and the elements on the right of the Periodic Table?

|          | elements on the left |               | elements on the right |               |
|----------|----------------------|---------------|-----------------------|---------------|
|          | character            | charge on ion | character             | charge on ion |
| <b>A</b> | metallic             | positive      | non-metallic          | negative      |
| <b>B</b> | metallic             | negative      | non-metallic          | positive      |
| <b>C</b> | non-metallic         | positive      | metallic              | negative      |
| <b>D</b> | non-metallic         | negative      | metallic              | positive      |

- 23** Which statement describes a general trend down Group I?

- A** The melting point increases.  
**B** The reactivity decreases.  
**C** The density increases.  
**D** The total number of electrons decreases.

**24** Which statement describes the appearance of the named halogen at room temperature and pressure?

- A** Chlorine is a colourless gas.
- B** Chlorine is a red-brown liquid.
- C** Iodine is a purple gas.
- D** Iodine is a grey-black solid.

**25** Osmium is a transition element.

Which row gives the expected properties of osmium?

|          | melting point | density at r.t.p. | compounds formed |
|----------|---------------|-------------------|------------------|
| <b>A</b> | high          | high              | coloured         |
| <b>B</b> | high          | high              | white            |
| <b>C</b> | high          | low               | white            |
| <b>D</b> | low           | high              | coloured         |

**26** Which statement about the element neon, Ne, is correct?

- A** It is in Group VII of the Periodic Table.
- B** It reacts rapidly with oxygen.
- C** It exists as diatomic molecules.
- D** Its atoms have a full outer shell of electrons.

**27** Substance G reacts with:

- dilute acids to produce hydrogen
- steam to produce a basic oxide
- oxygen to produce a basic oxide.

What is substance G?

- A** magnesium
- B** phosphorus
- C** silicon
- D** silver



28 Which row describes two properties and a use of the named metal?

|          | metal     | property 1                   | property 2                   | use                   |
|----------|-----------|------------------------------|------------------------------|-----------------------|
| <b>A</b> | aluminium | high density                 | resistant to corrosion       | food containers       |
| <b>B</b> | aluminium | low density                  | good electrical conductivity | overhead power cables |
| <b>C</b> | copper    | good electrical conductivity | low ductility                | electrical wiring     |
| <b>D</b> | copper    | high melting point           | low density                  | aircraft manufacture  |

29 Four methods to prevent the rusting of iron are listed.

- 1 alloying
- 2 coating with plastic
- 3 greasing
- 4 painting

Which methods are barrier methods?

- A** 1, 2 and 3      **B** 1 and 4      **C** 2, 3 and 4      **D** 3 and 4 only

30 Iron is extracted from hematite in a blast furnace.

Which reaction involves thermal decomposition?

- A** Calcium carbonate reacts to form calcium oxide and carbon dioxide.  
**B** Carbon (coke) reacts with oxygen to form carbon dioxide.  
**C** Carbon dioxide reacts with carbon to form carbon monoxide.  
**D** Iron(III) oxide reacts with carbon monoxide to form iron and carbon dioxide.

- 31** Clean, dry air contains nitrogen, oxygen and small amounts of other gases.

The noble gases have been left out of the table.

Which row shows the composition of clean, dry air?

|          | nitrogen / % | oxygen / % | other gases                     |
|----------|--------------|------------|---------------------------------|
| <b>A</b> | 21           | 78         | small amount of carbon dioxide  |
| <b>B</b> | 21           | 78         | small amount of carbon monoxide |
| <b>C</b> | 78           | 21         | small amount of carbon dioxide  |
| <b>D</b> | 78           | 21         | small amount of carbon monoxide |

- 32** Some substances found in water from natural sources are potentially harmful.

Which substance contains microbes that cause disease?

- A** metal compounds
- B** nitrates
- C** phosphates
- D** sewage

- 33** Gas X is a waste gas from digestion in animals.

Gas Y is formed when gas X is burned with an insufficient amount of oxygen.

Gas Z is formed when gas X is burned with an excess of oxygen.

What are X, Y and Z?

|          | X               | Y               | Z               |
|----------|-----------------|-----------------|-----------------|
| <b>A</b> | carbon dioxide  | methane         | carbon monoxide |
| <b>B</b> | carbon monoxide | methane         | carbon dioxide  |
| <b>C</b> | methane         | carbon dioxide  | carbon monoxide |
| <b>D</b> | methane         | carbon monoxide | carbon dioxide  |

- 34** Which statement about photosynthesis is correct?

- A** It decreases the amount of oxygen in the atmosphere.
- B** It is a reaction between carbon dioxide and water.
- C** It produces a gas that contributes to increased global warming.
- D** It requires a temperature greater than 50 °C.

35 L and M are different homologous series.


The first three members of homologous series L all decolourise aqueous bromine.

The first three members of homologous series M all dissolve in water to give solutions with a pH below 7.

What are the general formulae for homologous series L and M?

|          | homologous series L | homologous series M |
|----------|---------------------|---------------------|
| <b>A</b> | $C_nH_{2n}$         | $C_nH_{2n+1}COOH$   |
| <b>B</b> | $C_nH_{2n}$         | $C_nH_{2n+1}OH$     |
| <b>C</b> | $C_nH_{2n+2}$       | $C_nH_{2n+1}OH$     |
| <b>D</b> | $C_nH_{2n+2}$       | $C_nH_{2n+1}COOH$   |

36 Which structure represents an unsaturated hydrocarbon?



37 Petroleum is a mixture of compounds.

Which elements are present in all of these compounds?

- 1 carbon
- 2 hydrogen
- 3 oxygen

**A** 1, 2 and 3      **B** 1 and 2 only      **C** 1 and 3 only      **D** 2 and 3 only

38 Which statement about ethanol explains why it is used as a fuel?

- A** It is a colourless liquid.
- B** It has a low density.
- C** It forms carbon dioxide when burned.
- D** It releases energy when burned.

- 39 The table shows the observations of two tests on an aqueous solution of a solid.

| test                         | observations                                                |
|------------------------------|-------------------------------------------------------------|
| add acidified silver nitrate | white precipitate                                           |
| add aqueous sodium hydroxide | green precipitate that dissolves in excess sodium hydroxide |


What is the solid?

- A chromium(III) bromide
- B chromium(III) chloride
- C iron(II) bromide
- D iron(II) chloride

- 40 W is a mixture of coloured dyes. It is thought to contain dyes P, Q, R or S.

A sample of W is separated by chromatography.

The chromatogram is shown.



What does the chromatogram show?

- A W contains P and S only.
- B W contains P and R only.
- C W contains P, Q and S.
- D W contains P, R and S.

**BLANK PAGE**

**BLANK PAGE**

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| Group                      |                             |                                                                                             |                                 |                             |                              |                              |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
|----------------------------|-----------------------------|---------------------------------------------------------------------------------------------|---------------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|------------------------------|-----------------------------|
| I                          | II                          |                                                                                             |                                 |                             |                              |                              |                              |                              |                                |                               |                               |                             |                             |                             |                               | III                          | VIII                        |
| 3<br>Li<br>lithium<br>7    | 4<br>Be<br>beryllium<br>9   | <div>Key</div> <div>atomic number<br/>atomic symbol<br/>name<br/>relative atomic mass</div> |                                 |                             |                              |                              |                              |                              |                                |                               |                               |                             |                             |                             |                               | 1<br>H<br>hydrogen<br>1      | 2<br>He<br>helium<br>4      |
|                            |                             |                                                                                             |                                 |                             |                              |                              |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
| 11<br>Na<br>sodium<br>23   | 12<br>Mg<br>magnesium<br>24 | 13<br>Al<br>aluminium<br>27                                                                 | 14<br>Si<br>silicon<br>28       | 15<br>P<br>phosphorus<br>31 | 16<br>S<br>sulfur<br>32      | 17<br>Cl<br>chlorine<br>35.5 | 18<br>Ar<br>argon<br>40      |                              |                                |                               |                               |                             |                             |                             |                               | 9<br>F<br>fluorine<br>19     | 10<br>Ne<br>neon<br>20      |
| 19<br>K<br>potassium<br>39 | 20<br>Ca<br>calcium<br>40   | 21<br>Sc<br>scandium<br>45                                                                  | 22<br>Ti<br>titanium<br>48      | 23<br>V<br>vanadium<br>51   | 24<br>Cr<br>chromium<br>52   | 25<br>Mn<br>manganese<br>55  | 26<br>Fe<br>iron<br>56       | 27<br>Co<br>cobalt<br>59     | 28<br>Ni<br>nickel<br>59       | 29<br>Cu<br>copper<br>64      | 30<br>Zn<br>zinc<br>65        | 31<br>Ga<br>gallium<br>70   | 32<br>Ge<br>germanium<br>73 | 33<br>As<br>arsenic<br>75   | 34<br>Se<br>selenium<br>79    | 35<br>Br<br>bromine<br>80    | 36<br>Kr<br>krypton<br>84   |
| 37<br>Rb<br>rubidium<br>85 | 38<br>Sr<br>strontium<br>88 | 39<br>Y<br>yttrium<br>89                                                                    | 40<br>Zr<br>zirconium<br>91     | 41<br>Nb<br>niobium<br>93   | 42<br>Mo<br>molybdenum<br>96 | 43<br>Tc<br>technetium<br>—  | 44<br>Ru<br>ruthenium<br>101 | 45<br>Rh<br>rhodium<br>103   | 46<br>Pd<br>palladium<br>106   | 47<br>Ag<br>silver<br>108     | 48<br>Cd<br>cadmium<br>112    | 49<br>In<br>indium<br>115   | 50<br>Sn<br>tin<br>119      | 51<br>Sb<br>antimony<br>122 | 52<br>Te<br>tellurium<br>128  | 53<br>I<br>iodine<br>127     | 54<br>Xe<br>xenon<br>131    |
| 55<br>Cs<br>caesium<br>133 | 56<br>Ba<br>barium<br>137   | 57–71<br>lanthanoids                                                                        | 72<br>Hf<br>hafnium<br>178      | 73<br>Ta<br>tantalum<br>181 | 74<br>W<br>tungsten<br>184   | 75<br>Re<br>rhenium<br>186   | 76<br>Os<br>osmium<br>190    | 77<br>Ir<br>iridium<br>192   | 78<br>Pt<br>platinum<br>195    | 79<br>Au<br>gold<br>197       | 80<br>Hg<br>mercury<br>201    | 81<br>Tl<br>thallium<br>204 | 82<br>Pb<br>lead<br>207     | 83<br>Bi<br>bismuth<br>209  | 84<br>Po<br>polonium<br>—     | 85<br>At<br>astatine<br>—    | 86<br>Rn<br>radon<br>—      |
| 87<br>Fr<br>francium<br>—  | 88<br>Ra<br>radium<br>—     | 89–103<br>actinoids                                                                         | 104<br>Rf<br>rutherfordium<br>— | 105<br>Db<br>dubnium<br>—   | 106<br>Sg<br>seaborgium<br>— | 107<br>Bh<br>bohrium<br>—    | 108<br>Hs<br>hassium<br>—    | 109<br>Mt<br>meitnerium<br>— | 110<br>Ds<br>darmstadtium<br>— | 111<br>Rg<br>roentgenium<br>— | 112<br>Cn<br>copernicium<br>— | 113<br>Nh<br>nihonium<br>—  | 114<br>Fl<br>flerovium<br>— | 115<br>Mc<br>moscovium<br>— | 116<br>Lv<br>livermorium<br>— | 117<br>Ts<br>tennessine<br>— | 118<br>Og<br>oganesson<br>— |

lanthanoids

|                              |                            |                                 |                              |                             |                             |                             |                               |                            |                               |                              |                           |                               |                              |                              |
|------------------------------|----------------------------|---------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------|-------------------------------|------------------------------|------------------------------|
| 57<br>La<br>lanthanum<br>139 | 58<br>Ce<br>cerium<br>140  | 59<br>Pr<br>praseodymium<br>141 | 60<br>Nd<br>neodymium<br>144 | 61<br>Pm<br>promethium<br>— | 62<br>Sm<br>samarium<br>150 | 63<br>Eu<br>europium<br>152 | 64<br>Gd<br>gadolinium<br>157 | 65<br>Tb<br>terbium<br>159 | 66<br>Dy<br>dysprosium<br>163 | 67<br>Ho<br>holmium<br>165   | 68<br>Er<br>erbium<br>167 | 69<br>Tm<br>thulium<br>169    | 70<br>Yb<br>ytterbium<br>173 | 71<br>Lu<br>lutetium<br>175  |
| 89<br>Ac<br>actinium<br>—    | 90<br>Th<br>thorium<br>232 | 91<br>Pa<br>protactinium<br>231 | 92<br>U<br>uranium<br>238    | 93<br>Np<br>neptunium<br>—  | 94<br>Pu<br>plutonium<br>—  | 95<br>Am<br>americium<br>—  | 96<br>Cm<br>curium<br>—       | 97<br>Bk<br>berkelium<br>— | 98<br>Cf<br>californium<br>—  | 99<br>Es<br>einsteinium<br>— | 100<br>Fm<br>fermium<br>— | 101<br>Md<br>mendelevium<br>— | 102<br>No<br>nobelium<br>—   | 103<br>Lr<br>lawrencium<br>— |

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).