



CANDIDATE  
NAME

|  |
|--|
|  |
|--|

CENTRE  
NUMBER

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

CANDIDATE  
NUMBER

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

## 0653/42

February/March 2024

**1 hour 15 minutes**

You must answer on the question paper.


No additional materials are needed.

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has **20** pages. Any blank pages are indicated.

- 1 (a) Fig. 1.1 shows part of the human alimentary canal and associated organs.



**Fig. 1.1**

- (i) On Fig. 1.1, draw a line and the letter **L** to label the liver. [1]

- (ii) State the name of the part labelled **X** shown on Fig. 1.1.  
 ..... [1]

- (b) Mechanical digestion takes place in the alimentary canal.

Complete the definition of mechanical digestion.

Mechanical digestion is the breakdown of food into smaller ..... without  
 chemical change to the food .....


[2]

- (c) Enzymes in the alimentary canal speed up chemical digestion.

State the function of the enzyme amylase.

.....  
 ..... [2]

(d) Fig. 1.2 is a graph showing the effect of pH on enzyme **A** and enzyme **B**.



**Fig. 1.2**

State which of the enzymes in Fig. 1.2 is found in gastric juice.

Explain your answer using evidence from Fig. 1.2.

enzyme .....

explanation .....

..... [2]

[Total: 8]

- 2 (a) Answer the following questions using only the elements from this list.

aluminium

carbon

chlorine

helium

iron

magnesium

potassium

sodium

Each element may be used once, more than once or not at all.

Give the name of **one** element that:

- (i) contains a full outer shell of electrons.

..... [1]

- (ii) burns with a lilac flame.

..... [1]

- (iii) is extracted from hematite.

..... [1]


- (iv) is extracted from bauxite by electrolysis.

..... [1]

- (b) Nitrogen forms a molecule with the formula  $\text{N}_2$ .

Complete Fig. 2.1 to show the dot-and-cross diagram for a molecule of nitrogen.

Show the outer shell electrons only.



**Fig. 2.1**

[2]

- (c) Table 2.1 shows the boiling points of nitrogen and potassium nitrate.

**Table 2.1**

|                   | boiling point/ $^{\circ}\text{C}$ |
|-------------------|-----------------------------------|
| nitrogen          | –196                              |
| potassium nitrate | 400                               |

Explain why potassium nitrate has a much higher boiling point than nitrogen.

.....

.....

.....

.....

..... [3]

[Total: 9]

3 The Parker Solar Probe is a spacecraft designed to study the Sun and the planet Venus.

- (a) During one part of its mission, the spacecraft travels a distance of  $4.5 \times 10^8$  km at an average speed of  $2.0 \times 10^5$  km/h.

Show that the time taken to travel this distance is 94 days.

[2]

- (b) The spacecraft has a heat shield to reflect radiation from the Sun and prevent damage from overheating.

Suggest a suitable colour and texture for the surface of the heat shield.

.....  
 ..... [2]

- (c) Fig. 3.1 shows the electromagnetic spectrum, with the wavelengths that separate each of the regions of the spectrum.




Fig. 3.1

The spacecraft detects electromagnetic radiation from Venus with wavelengths between 470 nm and 800 nm ( $1 \text{ nm} = 1 \times 10^{-9} \text{ m}$ ).

- (i) Identify the **two** regions of the electromagnetic spectrum that the spacecraft detects.

1 .....  
 2 ..... [1]

- (ii) Calculate the minimum frequency of radiation detected by the spacecraft.

The speed of electromagnetic waves in a vacuum is  $3.0 \times 10^8$  m/s.


frequency = ..... Hz [3]

[Total: 8]

**BLANK PAGE**

- 4 (a) A student draws diagrams to show the position of xylem in different parts of a plant.

Fig. 4.1 shows the student's drawings.



**Fig. 4.1**

The student made errors in labelling the drawings.


Identify **two** errors made by the student in Fig. 4.1.

1 .....

2 .....

[2]

(b) Fig. 4.2 shows the effect of humidity on transpiration in plants.



**Fig. 4.2**

Explain the pattern shown in Fig. 4.2 between **P** and **Q**.

.....

.....

.....

.....

.....

..... [3]

(c) Plants produce carbohydrates by the process of photosynthesis.


(i) State the balanced symbol equation for photosynthesis.

..... [2]

(ii) State the name of the cell structure where photosynthesis occurs.

..... [1]

(d) Fig. 4.3 shows a food web for an area in Alaska.



**Fig. 4.3**

Table 4.1 shows some information about two of the organisms in Fig. 4.3.

Complete Table 4.1.

**Table 4.1**

| organism  | trophic level   | feeding relationship                            |
|-----------|-----------------|-------------------------------------------------|
| musk ox   | .....           | gets its energy by eating<br>.....              |
| snowy owl | ..... and ..... | gets its energy by eating<br>..... and<br>..... |

[3]

[Total: 11]

- 5 (a) Fig. 5.1 shows the electrolysis of molten zinc chloride using inert electrodes.




Fig. 5.1

- (i) Explain why the zinc chloride must be molten in this electrolysis.

.....  
 ..... [1]

- (ii) Suggest why the electrodes are inert.

.....  
 ..... [1]

- (iii) Describe what happens at the negative electrode in terms of electron transfer.

.....  
 ..... [1]

- (b) Aqueous chlorine reacts with aqueous potassium bromide.

State the word equation for this reaction.

..... [2]

- (c) Halogen molecules are diatomic.

State the meaning of diatomic.

.....  
 ..... [1]

- (d) Chlorine reacts with hydrogen to produce hydrogen chloride.

Write the balanced symbol equation for the reaction of chlorine with hydrogen.

..... [2]

[Total: 8]

6 (a) The Sun is the source of energy for most of our energy resources.

(i) State the process in the Sun that releases energy.

..... [1]

(ii) State the process that releases energy in a nuclear power station.

..... [1]


(iii) Describe how the process that releases energy you have named in (a)(i) differs from the process you have named in (a)(ii).

.....

.....

..... [1]

(b) Fig. 6.1 shows an electrical circuit containing a heater.




**Fig. 6.1**

The current in the heater is 8.0A.

Calculate the power in kilowatts supplied to the heater.

power = .....kW [3]

(c) Fig. 6.2 shows an electrical circuit for some components inside a house.



**Fig. 6.2**

(i) State the name of component **X**.

..... [1]

(ii) The reading on ammeter **A1** is 14.7A. The reading on ammeter **A2** is 13.0A and the reading on ammeter **A3** is 0.2A.

Determine the reading on ammeter **A4**.

reading = ..... A [2]

(iii) The resistance of the variable resistor is increased.

Explain why the reading on ammeter **A1** decreases.

.....  
 .....  
 ..... [1]

[Total: 10]

- 7 (a) Egg cells and sperm cells are the gametes in human reproduction.

In Table 7.1:

- place **E** in **all** the boxes that describe features of egg cells
- place **S** in **all** the boxes that describe features of sperm cells
- place **N** in **all** the boxes that do **not** describe features of either egg cells **or** sperm cells.

**Table 7.1**

|                                        |  |
|----------------------------------------|--|
| absence of a nucleus                   |  |
| contains an energy store               |  |
| has a flagellum for movement           |  |
| has a jelly coating                    |  |
| large numbers released at any one time |  |

[3]

- (b) A fertilised egg develops into a fetus along with a placenta and umbilical cord.

Describe how the placenta supports the growing fetus.

.....

.....

.....

.....

.....

..... [3]

- (c) A pregnant female is advised **not** to smoke tobacco.

State **one** major toxic component of tobacco smoke and describe its effect on the gas exchange system.

component .....

effect .....

.....

[2]

[Total: 8]

8 (a) Petroleum contains a mixture of hydrocarbons.

(i) Refinery gas and bitumen are two components separated from petroleum by process **Z**.

State the name of process **Z**.

..... [1]

(ii) Describe the differences between refinery gas and bitumen.

In your answer include:

- the size of the molecules
- the volatility of the components.

.....  
 .....  
 ..... [2]

(b) Methane is a member of the alkane homologous series.


Describe what is meant by the term homologous series.

.....  
 ..... [2]

(c) Decane,  $C_{10}H_{22}$ , is an alkane.

The cracking of decane produces  $C_8H_{18}$  and **one** other molecule.

(i) Complete the symbol equation for the cracking of decane.



(ii) State **two** conditions needed for cracking.

1 .....  
 2 ..... [2]

(iii) Decane is a saturated hydrocarbon.

Describe what is meant by saturated.

.....  
 ..... [1]

[Total: 9]

- 9 Fig. 9.1 shows the forces **P**, **Q**, **R** and **S** acting on a boat at sea.




Fig. 9.1

- (a) The boat is moving forward due to the force of the engine pushing from the back.

- (i) State which letter, **P**, **Q**, **R** or **S**, labels the force due to the resistance of air and water on the boat.

..... [1]

- (ii) Complete the sentence with **one** word from this list.

**density**

**pressure**

**speed**

**temperature**

When the boat decelerates, its ..... decreases.

[1]

- (b) Fig. 9.2 shows a speed–time graph of the motion of the boat.




Fig. 9.2

- (i) The distance travelled between time = 250 s and 290 s is half the distance travelled between time = 0 and 100 s.  
Calculate the total distance travelled by the boat as shown in Fig. 9.2.

distance = ..... m [3]

- (ii) The engine of the boat supplies an output power of 2.0 kW to drive the boat forward at its maximum speed.

Show that the total energy supplied to drive the boat forward while it is travelling at the maximum speed shown in Fig. 9.2 is 300 kJ.

[2]

- (iii) The mass of the boat is 450 kg.  
Calculate the kinetic energy (KE) of the boat when it is travelling at the maximum speed in Fig. 9.2.

KE = ..... kJ [2]

[Total: 9]

**BLANK PAGE**

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| Group                      |                             |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
|----------------------------|-----------------------------|-----------------------------------------------------------------------|---------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|------------------------------|-----------------------------|
| I                          | II                          | 1<br>H<br>hydrogen<br>1                                               |                                 |                             |                              |                             |                              |                              |                                |                               |                               | III                         | IV                          | V                           | VI                            | VII                          | VIII                        |
| 3<br>Li<br>lithium<br>7    | 4<br>Be<br>beryllium<br>9   | Key<br>atomic number<br>atomic symbol<br>name<br>relative atomic mass |                                 |                             |                              |                             |                              |                              |                                |                               |                               | 5<br>B<br>boron<br>11       | 6<br>C<br>carbon<br>12      | 7<br>N<br>nitrogen<br>14    | 8<br>O<br>oxygen<br>16        | 9<br>F<br>fluorine<br>19     | 10<br>Ne<br>neon<br>20      |
|                            |                             |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
| 11<br>Na<br>sodium<br>23   | 12<br>Mg<br>magnesium<br>24 |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               | 13<br>Al<br>aluminium<br>27 | 14<br>Si<br>silicon<br>28   | 15<br>P<br>phosphorus<br>31 | 16<br>S<br>sulfur<br>32       | 17<br>Cl<br>chlorine<br>35.5 | 18<br>Ar<br>argon<br>40     |
| 19<br>K<br>potassium<br>39 | 20<br>Ca<br>calcium<br>40   | 21<br>Sc<br>scandium<br>45                                            | 22<br>Ti<br>titanium<br>48      | 23<br>V<br>vanadium<br>51   | 24<br>Cr<br>chromium<br>52   | 25<br>Mn<br>manganese<br>55 | 26<br>Fe<br>iron<br>56       | 27<br>Co<br>cobalt<br>59     | 28<br>Ni<br>nickel<br>59       | 29<br>Cu<br>copper<br>64      | 30<br>Zn<br>zinc<br>65        | 31<br>Ga<br>gallium<br>70   | 32<br>Ge<br>germanium<br>73 | 33<br>As<br>arsenic<br>75   | 34<br>Se<br>selenium<br>79    | 35<br>Br<br>bromine<br>80    | 36<br>Kr<br>krypton<br>84   |
| 37<br>Rb<br>rubidium<br>85 | 38<br>Sr<br>strontium<br>88 | 39<br>Y<br>yttrium<br>89                                              | 40<br>Zr<br>zirconium<br>91     | 41<br>Nb<br>niobium<br>93   | 42<br>Mo<br>molybdenum<br>96 | 43<br>Tc<br>technetium<br>— | 44<br>Ru<br>ruthenium<br>101 | 45<br>Rh<br>rhodium<br>103   | 46<br>Pd<br>palladium<br>106   | 47<br>Ag<br>silver<br>108     | 48<br>Cd<br>cadmium<br>112    | 49<br>In<br>indium<br>115   | 50<br>Sn<br>tin<br>119      | 51<br>Sb<br>antimony<br>122 | 52<br>Te<br>tellurium<br>128  | 53<br>I<br>iodine<br>127     | 54<br>Xe<br>xenon<br>131    |
| 55<br>Cs<br>caesium<br>133 | 56<br>Ba<br>barium<br>137   | 57–71<br>lanthanoids                                                  | 72<br>Hf<br>hafnium<br>178      | 73<br>Ta<br>tantalum<br>181 | 74<br>W<br>tungsten<br>184   | 75<br>Re<br>rhenium<br>186  | 76<br>Os<br>osmium<br>190    | 77<br>Ir<br>iridium<br>192   | 78<br>Pt<br>platinum<br>195    | 79<br>Au<br>gold<br>197       | 80<br>Hg<br>mercury<br>201    | 81<br>Tl<br>thallium<br>204 | 82<br>Pb<br>lead<br>207     | 83<br>Bi<br>bismuth<br>209  | 84<br>Po<br>polonium<br>—     | 85<br>At<br>astatine<br>—    | 86<br>Rn<br>radon<br>—      |
| 87<br>Fr<br>francium<br>—  | 88<br>Ra<br>radium<br>—     | 89–103<br>actinoids                                                   | 104<br>Rf<br>rutherfordium<br>— | 105<br>Db<br>dubnium<br>—   | 106<br>Sg<br>seaborgium<br>— | 107<br>Bh<br>bohrium<br>—   | 108<br>Hs<br>hassium<br>—    | 109<br>Mt<br>meitnerium<br>— | 110<br>Ds<br>darmstadtium<br>— | 111<br>Rg<br>roentgenium<br>— | 112<br>Cn<br>copernicium<br>— | 113<br>Nh<br>nihonium<br>—  | 114<br>Fl<br>flerovium<br>— | 115<br>Mc<br>moscovium<br>— | 116<br>Lv<br>livermorium<br>— | 117<br>Ts<br>tennessine<br>— | 118<br>Og<br>oganesson<br>— |

|             |                              |                            |                                 |                              |                             |                             |                             |                               |                            |                               |                              |                           |                               |                              |                              |
|-------------|------------------------------|----------------------------|---------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------|-------------------------------|------------------------------|------------------------------|
| lanthanoids | 57<br>La<br>lanthanum<br>139 | 58<br>Ce<br>cerium<br>140  | 59<br>Pr<br>praseodymium<br>141 | 60<br>Nd<br>neodymium<br>144 | 61<br>Pm<br>promethium<br>— | 62<br>Sm<br>samarium<br>150 | 63<br>Eu<br>europium<br>152 | 64<br>Gd<br>gadolinium<br>157 | 65<br>Tb<br>terbium<br>159 | 66<br>Dy<br>dysprosium<br>163 | 67<br>Ho<br>holmium<br>165   | 68<br>Er<br>erbium<br>167 | 69<br>Tm<br>thulium<br>169    | 70<br>Yb<br>ytterbium<br>173 | 71<br>Lu<br>lutetium<br>175  |
| actinoids   | 89<br>Ac<br>actinium<br>—    | 90<br>Th<br>thorium<br>232 | 91<br>Pa<br>protactinium<br>231 | 92<br>U<br>uranium<br>238    | 93<br>Np<br>neptunium<br>—  | 94<br>Pu<br>plutonium<br>—  | 95<br>Am<br>americium<br>—  | 96<br>Cm<br>curium<br>—       | 97<br>Bk<br>berkelium<br>— | 98<br>Cf<br>californium<br>—  | 99<br>Es<br>einsteinium<br>— | 100<br>Fm<br>fermium<br>— | 101<br>Md<br>mendelevium<br>— | 102<br>No<br>nobelium<br>—   | 103<br>Lr<br>lawrencium<br>— |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).