

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Pearson Edexcel
International GCSE (9–1)

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

Wednesday 12 June 2019

Morning (Time: 1 hour 15 minutes)

Paper Reference **4CH1/2CR**

Chemistry

Unit: 4CH1

Paper: 2CR

You must have:

Calculator

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P60183A

©2019 Pearson Education Ltd.

1/1/1/1/1/1/1/1/




Pearson

The Periodic Table of the Elements

1	2	1 H hydrogen 1					3	4	5	6	7	0																							
		Key																																	
		relative atomic mass atomic symbol name atomic (proton) number																																	
7	Li lithium 3	9	Be beryllium 4									11	B boron 5	12	C carbon 6	14	N nitrogen 7	16	O oxygen 8	19	F fluorine 9	20	Ne neon 10												
23	Na sodium 11	24	Mg magnesium 12									27	Al aluminium 13	28	Si silicon 14	31	P phosphorus 15	32	S sulfur 16	35.5	Cl chlorine 17	40	Ar argon 18												
39	K potassium 19	40	Ca calcium 20	45	Sc scandium 21	48	Ti titanium 22	51	V vanadium 23	52	Cr chromium 24	55	Mn manganese 25	56	Fe iron 26	59	Co cobalt 27	59	Ni nickel 28	63.5	Cu copper 29	65	Zn zinc 30	70	Ga gallium 31	73	Ge germanium 32	75	As arsenic 33	79	Se selenium 34	80	Br bromine 35	84	Kr krypton 36
85	Rb rubidium 37	88	Sr strontium 38	89	Y yttrium 39	91	Zr zirconium 40	93	Nb niobium 41	96	Mo molybdenum 42	[98]	Tc technetium 43	101	Ru ruthenium 44	106	Pd palladium 46	103	Rh rhodium 45	108	Ag silver 47	112	Cd cadmium 48	115	In indium 49	119	Sn tin 50	122	Sb antimony 51	128	Te tellurium 52	127	I iodine 53	131	Xe xenon 54
133	Cs caesium 55	137	Ba barium 56	139	La* lanthanum 57	178	Hf hafnium 72	181	Ta tantalum 73	184	W tungsten 74	186	Re rhenium 75	190	Os osmium 76	192	Ir iridium 77	195	Pt platinum 78	197	Au gold 79	201	Hg mercury 80	204	Tl thallium 81	207	Pb lead 82	209	Bi bismuth 83	[209]	Po polonium 84	[210]	At astatine 85	[222]	Rn radon 86
[223]	Fr francium 87	[226]	Ra radium 88	[227]	Ac* actinium 89	[261]	Rf rutherfordium 104	[262]	Db dubnium 105	[266]	Sg seaborgium 106	[264]	Bh bohrium 107	[277]	Hs hassium 108	[268]	Mt meitnerium 109	[274]	Ds darmstadtium 110	[272]	Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated													

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Answer ALL questions.

1 This question is about gases in the atmosphere.

(a) The box gives the names of some gases in the atmosphere.

argon	carbon dioxide	helium
nitrogen	oxygen	

Use gases from the box to answer the questions.

Each gas may be used once, more than once or not at all.

(i) Identify the two noble gases.

(1)

(ii) Identify the gas that is a compound.

(1)

(iii) Identify the most abundant gas in the atmosphere.

(1)

(iv) Identify the greenhouse gas.

(1)

(b) Describe the test for oxygen.


(1)

(Total for Question 1 = 5 marks)



P 6 0 1 8 3 A 0 3 2 0

2 The diagram represents an atom of boron.



(a) Use information from the diagram to complete the table.

The first row has been done for you.

(5)

atomic number	5
mass number	
number of neutrons	
group in the Periodic Table that contains boron	
period in the Periodic Table that contains boron	
electronic configuration of an atom of boron	



(b) Boron has two isotopes, boron-10 and boron-11.

A sample of boron contains 18.7% of boron-10 and 81.3% of boron-11.

Calculate the relative atomic mass of this sample of boron.

(2)


relative atomic mass =

(Total for Question 2 = 7 marks)



3 Crude oil is an important source of organic compounds.

(a) The diagram shows crude oil being separated into different fractions.



(i) Name the process used to separate crude oil into different fractions.

(1)

(ii) State what happens to the crude oil at X.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iii) Describe the differences between fraction B and fraction E.

In your answer, refer to

- size of the molecules
- boiling point
- colour
- viscosity

(4)

.....

.....

.....

.....

.....

.....

.....

.....

(b) Crude oil often contains sulfur as an impurity.

Explain why this is a problem when using crude oil fractions as fuels.

(2)

.....

.....

.....

.....

(Total for Question 3 = 8 marks)



P 6 0 1 8 3 A 0 7 2 0



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(2)

DO NOT WRITE IN THIS AREA

(3)

potassium ion	bromide ion
---------------	-------------



Turn over ►

(d) A student sets up a circuit to test the electrical conductivity of water, solid sodium chloride and aqueous sodium chloride.

The table shows the student's results.

Substance	Conducts electricity?
water	no
solid sodium chloride	no
aqueous sodium chloride	yes

Explain these results, with reference to the structure and bonding of the substances.

(5)

This image shows a single sheet of white paper with horizontal dashed lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the paper.



- (e) A concentrated aqueous solution of sodium chloride is electrolysed using graphite electrodes.

Chlorine is formed at the positive electrode (anode).

- (i) Give an ionic half-equation for the formation of chlorine at the positive electrode. (1)

- (ii) State why this ionic half-equation represents an oxidation reaction. (1)

- (iii) Which substance is formed at the negative electrode (cathode)? (1)

- ☐ A hydrogen
☐ B oxygen
☐ C sodium
☐ D water

(Total for Question 4 = 15 marks)



P 6 0 1 8 3 A 0 1 1 2 0

5 This question is about the reactions of carboxylic acids.

(a) Carboxylic acids react with solutions of metal carbonates.

- (i) Complete the chemical equation for the reaction of ethanoic acid, CH_3COOH , with potassium carbonate solution.

(2)



- (ii) State what you would see in this reaction.

(1)

(b) The ester, ethyl ethanoate, can be prepared by reacting ethanol with ethanoic acid.

This is the method for the preparation.

- mix equal amounts of ethanoic acid and ethanol in a boiling tube
- add a few drops of concentrated sulfuric acid
- place the boiling tube in a hot water bath for several minutes

- (i) State the role of concentrated sulfuric acid in this reaction.

(1)

- (ii) Suggest why the mixture is heated in a water bath rather than directly with a Bunsen burner flame.

(1)

- (iii) State how you would know that ethyl ethanoate has formed.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Another ester, methyl propanoate, can be prepared by reacting methanol with propanoic acid.

- (i) Draw the displayed formulae of methanol, propanoic acid and the ester, methyl propanoate.

(3)

methanol	propanoic acid
----------	----------------

methyl propanoate

- (ii) Give the name of the other product of this reaction.

(1)

- (d) Give one use of esters.

(1)

(Total for Question 5 = 11 marks)



P 6 0 1 8 3 A 0 1 3 2 0



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



6 When a bottle of wine is left open for several days, some of the ethanol in the wine turns to ethanoic acid, CH_3COOH

- (a) A scientist uses a titration method to investigate how much ethanoic acid is formed if a bottle of white wine is left open for one week.

She uses this method.

- fill a burette with the white wine and record the reading
- add 25.0 cm^3 of sodium hydroxide solution to a conical flask
- add a few drops of phenolphthalein indicator to the flask
- swirl the flask continuously while adding wine from the burette
- add the wine drop by drop near the end point
- record the reading at the end point

- (i) Name the piece of apparatus that would be most suitable for measuring the 25.0 cm^3 of sodium hydroxide solution.

(1)

- (ii) Suggest why red wine would not be suitable to use for this investigation.

(1)

- (iii) State why she swirls the flask continuously.

(1)


- (iv) State why she adds the wine drop by drop near the end point.

(1)



P 6 0 1 8 3 A 0 1 5 2 0

(b) The diagram shows the burette readings at the start and end of one of the titrations.



Use the readings to complete the table.

Give your values to the nearest 0.05 cm³.

(3)

burette reading at end	
burette reading at start	
volume of wine added in cm ³	

(c) The scientist repeats the titration four more times.

The table shows her results for these four titrations.

titration number	1	2	3	4
volume of wine added in cm ³	20.40	20.10	20.35	20.45
concordant results				

Concordant results are those within 0.20 cm³ of each other.

(i) Add ticks (✓) to the table to show the concordant results.

(1)

(ii) Use your ticked results to calculate the mean (average) volume of wine added.


(2)

mean volume of wine added = cm³



- (d) Another scientist repeats the titration with a different bottle of white wine that has been left open for a week.

The equation for the reaction that occurs in this titration is



The mean volume of wine added is 19.50 cm^3 .

- (i) The concentration of the sodium hydroxide solution is 0.0500 mol/dm^3 .

Calculate the amount, in moles, of NaOH in 25.0 cm^3 of sodium hydroxide solution. (2)

amount of NaOH = mol

- (ii) Deduce the amount, in moles, of CH_3COOH in 19.50 cm^3 of the wine. (1)

amount of CH_3COOH = mol

- (iii) Calculate the concentration, in mol/dm^3 , of CH_3COOH in the wine. (2)

concentration of CH_3COOH = mol/dm^3


(Total for Question 6 = 15 marks)



- 7 Hydrogen gas can be produced by reacting a mixture of methane and steam in the presence of a nickel catalyst.

The reaction conditions are a temperature of 700 °C and a pressure of 5 atmospheres.

The equation for the reaction is



- (a) What does the symbol $\rightleftharpoons$ represent?

(1)

- (b) (i) The mixture of methane and steam is heated to a temperature greater than 700 °C but the pressure is kept at 5 atmospheres.

Predict the effect of this change on the yield of hydrogen at equilibrium, giving a reason for your answer.

(2)

- (ii) The mixture of methane and steam is kept at the same temperature of 700 °C but the pressure is increased to more than 5 atmospheres.

Predict the effect of this change on the yield of hydrogen at equilibrium, giving a reason for your answer.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) Calculate the volume, in dm^3 , of hydrogen gas at rtp that is produced when 10 tonnes of methane gas completely react with steam.

[molar volume of hydrogen at rtp is 24 dm^3]

Give your answer in standard form.

(4)

volume of hydrogen = dm^3

(Total for Question 7 = 9 marks)

TOTAL FOR PAPER = 70 MARKS



P 6 0 1 8 3 A 0 1 9 2 0

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

