

Please check the examination details below before entering your candidate information

Candidate surname					Other names				
Centre Number					Candidate Number				
Pearson Edexcel International GCSE (9–1)									
Wednesday 10 June 2020									
Afternoon (Time: 1 hour 15 minutes)					Paper Reference 4CH1/2CR				
Chemistry Unit: 4CH1 Paper: 2CR									
You must have: Calculator								Total Marks	

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P62048A

©2020 Pearson Education Ltd.

1/1/1/1/



2


P 6 2 0 4 8 A 0 2 2 0

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

Answer ALL questions.


1 The diagram shows some pieces of apparatus.




A



B



C



D

(a) Complete the table by giving the name of each piece of apparatus.

(4)

Letter	Name
A	
B	
C	
D	

(b) Which piece of apparatus can be used to measure the volume of a liquid?

(1)

- ☐ A
- ☐ B
- ☐ C
- ☐ D

(Total for Question 1 = 5 marks)



2 Thallium, Tl, is an element in Group 3 and Period 6 of the Periodic Table.

The atomic number of thallium is 81

(a) How many electrons are there in the outer shell of an atom of thallium?

(1)

☐ A 3

☐ B 6

☐ C 13

☐ D 81

(b) A thallium ion has a charge of 3+

How many electrons are there in this thallium ion?

(1)

☐ A 3

☐ B 78

☐ C 81

☐ D 84



(c) A sample of thallium contains two isotopes.

The table shows the mass number and percentage abundance of each isotope in the sample.

Isotope	Mass number	Percentage abundance (%)
thallium-203	203	30.80
thallium-205	205	69.20

- (i) Give the number of protons and the number of neutrons in one atom of the thallium-205 isotope.

(2)

number of protons

number of neutrons

- (ii) Calculate the relative atomic mass of this sample of thallium.

Give your answer to one decimal place.


(3)

relative atomic mass =

(Total for Question 2 = 7 marks)



- 3 (a) The diagram shows a fractionating column used to separate crude oil into fractions.



- (i) Give a use for bitumen and a use for gasoline.

(2)

use for bitumen

use for gasoline

- (ii) Explain why bitumen is collected at the bottom of the fractionating column and gasoline is collected near the top of the fractionating column.

(2)

.....
.....
.....
.....

- (b) There is a low demand for some of the fractions obtained from crude oil.

Cracking can be used to convert these fractions into more useful substances.

- (i) State the conditions needed for cracking.

(2)

.....
.....

- (ii) Dodecane ($C_{12}H_{26}$) can be cracked to produce an alkane and two alkenes.

Complete the equation by giving the formulae of the two alkenes.

(2)



(Total for Question 3 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



P 6 2 0 4 8 A 0 7 2 0

4 This question is about some of the alkali metals and their compounds.

- (a) When a teacher drops a small piece of sodium into a trough of cold water, she observes bubbles of gas.

Give two other observations that would be made when sodium reacts with cold water.

(2)

1

2

- (b) Lithium reacts with fluorine to form the compound lithium fluoride.

- (i) Give a chemical equation for this reaction.

(1)

- (ii) Give a test to show that lithium fluoride contains lithium ions.

(2)

- (iii) Draw diagrams to show the arrangement of the electrons in a lithium ion and in a fluoride ion.

Include the charge on each ion.

(3)

lithium ion	fluoride ion



(c) The table shows the electronic configurations of sodium and potassium.

Element	Electronic configuration
sodium	2.8.1
potassium	2.8.8.1

Explain, in terms of their electronic configurations, why potassium is more reactive than sodium.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 4 = 11 marks)



5 This question is about the metal aluminium.

(a) (i) Draw a labelled diagram to represent the structure and bonding in a metal.

(2)

(ii) Explain why a metal conducts electricity.

(2)

.....

.....

.....

.....

(b) Aluminium is used to make cans for drinks.



Give two properties of aluminium that make it suitable for this use.

(2)

1

.....

2

.....



(c) Aluminium is extracted from aluminium oxide (Al_2O_3) by electrolysis.

The electrolyte is aluminium oxide dissolved in molten cryolite.

- (i) State why aluminium cannot be extracted by heating aluminium oxide with carbon.

(1)

- (ii) Aluminium is produced at the negative electrode.

The ionic half-equation for the reaction is



State why this is a reduction reaction.

(1)

- (iii) Complete the ionic half-equation for the reaction at the positive electrode.

(2)



(Total for Question 5 = 10 marks)



- 6 A student wants to prepare sodium chloride crystals from sodium hydroxide solution and dilute hydrochloric acid.

He does a titration to find the volume of dilute hydrochloric acid needed to neutralise the sodium hydroxide solution.

This is his method.

- add 25.0 cm^3 of sodium hydroxide solution to a conical flask
- add a few drops of phenolphthalein indicator to the conical flask
- titrate the solution with the hydrochloric acid

- (a) Name a suitable piece of apparatus that the student should use to measure 25.0 cm^3 of sodium hydroxide solution.

(1)

- (b) (i) Give the colour of the phenolphthalein indicator in sodium hydroxide solution and in hydrochloric acid.

(2)

colour in sodium hydroxide solution.....

colour in hydrochloric acid.....

- (ii) Suggest why universal indicator is never used in a titration.

(1)

- (c) The student finds that 21.50 cm^3 of hydrochloric acid is needed to neutralise 25.0 cm^3 of sodium hydroxide solution.

- (i) Describe what the student should do next to prepare a pure solution of sodium chloride.

(2)




- (ii) Describe how the student could obtain dry crystals of sodium chloride from the pure sodium chloride solution.

(4)

- (d) The student needs 21.50 cm^3 of hydrochloric acid to neutralise 25.0 cm^3 of sodium hydroxide solution of concentration 0.800 mol/dm^3 .

The equation for the reaction is



Calculate the concentration, in mol/dm^3 , of the hydrochloric acid.

(3)

concentration = mol/dm^3

(Total for Question 6 = 13 marks)



- 7 (a) Ethanol, $\text{C}_2\text{H}_5\text{OH}$, can be oxidised to produce ethanoic acid, CH_3COOH , by heating it with potassium dichromate(VI).

(i) Name one other reactant needed for this reaction to occur.

(1)


(ii) Which colour change occurs during this reaction?

(1)


- ☐ A colourless to green
☐ B green to orange
☐ C orange to colourless
☐ D orange to green

- (b) When ethanol is burned in air, complete combustion can occur.

The equation for this reaction is



This equation can also be written using displayed formulae to show all the covalent bonds in the molecules.



The table gives the bond energies for these bonds.

Bond	C—C	C—H	C—O	O—H	O=O	C=O
Bond energy in kJ/mol	346	412	358	463	496	743



- (i) Use values from the table to calculate the energy needed to break all the bonds in the reactants.

(2)

energy needed kJ

- (ii) Use values from the table to calculate the energy released when all the bonds in the products are formed.

(2)

energy released kJ

- (iii) Calculate the molar enthalpy change (ΔH) in kJ/mol, for the complete combustion of ethanol.

Include a sign in your answer.

(1)

$\Delta H =$ kJ/mol

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) Ethanol reacts with methanoic acid, HCOOH , in the presence of an acid catalyst to form an ester.

The equation for the reaction is



- (i) Give the name of the ester that forms.

(1)

- (ii) Draw the displayed formula for this ester.

(2)

- (iii) When this reaction takes place in a sealed container, the reaction can reach dynamic equilibrium.

Give two characteristics of a reaction at dynamic equilibrium.

(2)

1

2



- (d) Methanoic acid reacts with sodium carbonate to form sodium methanoate, carbon dioxide and water.

The equation for the reaction is



Calculate the volume, in cm^3 , of carbon dioxide gas produced when 2.3 g of methanoic acid reacts completely with sodium carbonate.

[M_r of $\text{HCOOH} = 46$]

[molar volume of carbon dioxide at rtp = 24 dm^3]

(4)

volume of carbon dioxide = cm^3

(Total for Question 7 = 16 marks)

TOTAL FOR PAPER = 70 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

